

R4200. Safety precautions

MOUT Collective Training Facility (MOUT CTF)

a. References:

- (1) FM 3-06.
- (2) FM 3-06.11.
- (3) TC 90-1.
- (4) AR 385-63.
- (5) DA Pam 385-63.
- (6) DA Pam 385-64.

b. Location: UV0419250417.

c. **Description and Capacity:** This facility teaches the skills and unit cohesiveness necessary to conduct clearing, breaching, offensive and defensive operations in an urban setting. Weapons/ammunition authorized for use – organic weapons (no live fire)/blanks, MILES and simmunition (9mm). Targetry must be coordinated with Range Control (for placement and operation) prior to drawing the range.

d. Communications: Using unit will establish 2 means of communications with Range Control (FM Freq: 40.80 primary, and 31.30 alternate) prior to firing. Using unit must provide 2 communication sources; no additional sources are located on the range. Firing will not be initiated or will immediately cease when communications with Range Control is not operational.

e. Safety precautions:

- (1) Camp Gruber Range Safety briefing and Range Packet.
- (2) Range flags will be flown from flagpoles located at:
 - (a) Southwest corner of 24th Street and Sicily Road.
 - (b) UV0424250018, west access road off of 24th street (south of the CTF complex).
- (3) Only Range Control personnel qualified to maintain target mechanisms are authorized to repair or adjust targetry.
- (4) A medical aid man/medic must be present on the facility during the conduct of live firing/training.

Additional medical requirements are:

- (a) The aid man must be MOS qualified.
- (b) The aid man must have a standard aid bag and litter.
- (c) Unit commanders or representatives must be prepared to give the rank, name, and SSN of all medical qualified personnel.
- (d) A litter-bearing vehicle must be on site with a driver other than the medic and capable of transporting a litter patient.
- (5) OIC must be a minimum of E7 or above. Safety Officer must be minimum of E6 or above.

f. Special Instructions:


- (1) HC, CS or CN smoke is not authorized for use on the Collective Training Facility.
- (2) The use of pyrotechnic simulators, smoke grenades, or surface flares is prohibited within confined areas or against wooden buildings without approval from Range Control. The Range OIC must identify hazard protection and mitigation measures (IAW FM 100-14), and present them to Range Control for approval prior to any pyrotechniques being utilized within the structures/confined areas on the facility.
- (3) No blank ammunition (above 5.56mm), smoke, or pyrotechniques will be discharged in the underground sewer system. Special munitions (i.e. simmunition) must be approved by Range Control prior to use on the facility.
- (4) Rappel master personnel must be physically present on each side of the facility where rappelling is conducted.

(5) Climbing and descending the outside walls by use of grappling hooks, rappelling ropers, or free climbing is permitted under supervision of a designated Safety Officer. Climbing is prohibited on the following facilities:

- (a) Bus Stop.
- (b) Warehouse.
- (c) Train Station.
- (d) Thunderbird House.
- (e) Any trailer house or wooden/metal structure.
- (6) No soldiers are permitted on any metal/wooden roof.

- (7) Rooftop landings (helicopters) are prohibited on this facility. A designated landing pad is provided at the Southeast corner of the main complex.
- g. Road guard requirement: None.
 - h. Impact Area closed during operation: None.
 - i. Ranges closed during operation: TOW Live Fire, TA 200 Land Nav.
 - j. Barriers: The following gates may be closed to restrict outside access to the Urban Assault Course.
 - (1) Gates 56, 57, and 59.
 - (2) Cable Gate 112.

MOUT CTF FOOTPRINT



R4200